



Accelerating Information Technology Innovation

<http://aiti.mit.edu/program/philippines-summer-2012/>

Philippines Summer 2012
Lecture 4 – Django Views and Templates
June 28, 2012



Agenda

- Django Views
- Django Templates

Django Views

Views

- What are they (who did the reading??)
- **Views** are the logical interface between data (**Models**) and presentation (**Templates**)

Hello World

#inside views.py (create it)

```
from django.http import HttpResponse
def hello(request):
    return HttpResponse("Hello world")
```

EVERY view takes a request object as first parameter

EVERY view returns an HttpResponse object

How to hook it up?

```
#use urls.py
```

```
from django.conf.urls.defaults import *
```

```
from mysite.views import hello
```

```
urlpatterns = patterns(",
```

```
('^hello/$', hello),
```

```
)
```

Request Life Cycle

1. A request comes in to `/hello/`.
2. Django determines the root URLconf by looking at the `ROOT_URLCONF` setting.
3. Django looks at all of the URLpatterns in the URLconf for the first one that matches `/hello/`.
4. If it finds a match, it calls the associated view function.
5. The view function returns an `HttpResponse`.
6. Django converts the `HttpResponse` to the proper HTTP response, which results in a Web page.

Dynamic Content

```
from django.conf.urls.defaults import *
from mysite.views import hello, current_datetime,
    hours_ahead

urlpatterns = patterns("",
    (r'^hello/$', hello),
    (r'^time/$', current_datetime),
)
```


Dynamic Content

```
from django.http import HttpResponse
import datetime
```

```
def hello(request): return HttpResponse("Hello world")
```

```
def current_datetime(request):
    now = datetime.datetime.now()
    html = "<html><body>It is now %s.</body></html>" %
    now return HttpResponse(html)
```

Dynamic URLs

```
from django.conf.urls.defaults import *
from mysite.views import hello, current_datetime,
    hours_ahead

urlpatterns = patterns("",
    (r'^hello/$', hello),
    (r'^time/$', current_datetime),
    (r'^time/plus/(\d{1,2})/$', hours_ahead),
)
```

Dynamic URLs

```
from django.http import Http404, HttpResponse
import datetime

def hours_ahead(request, offset):
    try: offset = int(offset)
    except ValueError: raise Http404()

    dt = datetime.datetime.now() + datetime.timedelta(hours=offset)

    html = "<html><body>In %s hour(s), it will be %s.</ body></html>"
    % (offset, dt)

    return HttpResponse(html)
```

A Note about Development

Where to start, views or URLconfs?

- **Big Picture:** Start with URLconfs
 - get an idea of what kind of content you need to deliver
 - to-do list
- **Bottom Up:** Start with Views
 - first make the pieces, then put the puzzle together

Tricks with URLconfs

Factor out common prefixes

Before:

```
urlpatterns = patterns("",
    (r'^one/$', myapp.views.someView),
    (r'^two/$', myapp.views.someOtherView),
    (r'^three/$', myapp.views.evenOtherView),
)
```

Tricks with URLconfs

Factor out common prefixes

After:

```
urlpatterns = patterns('myapp.views',
    (r'^one/$', someView),
    (r'^two/$', someOtherView),
    (r'^three/$', evenOtherView),
)
urlpatterns += patterns('myotherapp.views',
    ....
```

Extra Parameters to Views

```
# urls.py
from django.conf.urls.defaults import *
from mysite import views

urlpatterns = patterns("",
    (r'^listStyle1/$', views.list_view,
     {'template_name':'template1.html'}),
    (r'^listStyle2/$', views.list_view,
     {'template_name': 'template2.html'}), )
```

Extra Parameters to Views

```
# views.py
from django.shortcuts import render_to_response
from mysite.models import MyModel

def list_view(request, template_name):
    m_list = MyModel.objects.filter(is_new=True)
    return render_to_response(template_name,
                              {'m_list': m_list})
```


Extra Parameters to Views

```
# views.py
```

```
from django.shortcuts import render_to_response
```

```
from mysite.models import MyModel
```

```
def list_view(request, template_name):
```

```
    m_list = MyModel.objects.filter(is_new=True)
```

```
    return render_to_response(template_name,
```

```
                              {'m_list': m_list})
```

```
    ^^^
```

```
#this is called
```

```
TEMPLATE CONTEXT
```

Generic Views

- Django comes with some commonly used views
 - redirect a user to another page
 - render a specific template
 - display list and detail view of objects
 - display date-based objects in archive pages

Generic Views

#Example: direct_to_template

```
from django.conf.urls.defaults import *  
from django.views.generic.simple import direct_to_template
```

```
urlpatterns = patterns("",  
    (r'^about/$', direct_to_template, { 'template':  
    'about.html' })  
)
```

#Magic!!

Loose Coupling

- Changes made to one piece of code should have little or no effect on other pieces of code
 - to change URL from “/hours_ahead” to “/plus_hours”, need to change **only** URLconf
 - to change View from calculating “hours ahead” to “hours ago”, need to change **only** view
 - Allows linking multiple URLs to the same view

Loose Coupling

```
def hours_ahead(request, offset):  
    try: offset = int(offset)  
    except ValueError: raise Http404()  
    dt = datetime.datetime.now() +  
        datetime.timedelta(hours=offset)  
    html = "<html><body>In %s hour(s), it will be %s.</  
body></html>" % (offset, dt)  
    return HttpResponse(html)
```

#HTML should be in a **Template!!**

Django Templates

weather.html

```
<html>
  <head>
    <title> Weather </title>
  </head>
  <body>
    <p>Today's weather in {{ city }} is {{ description }}.</p>
    <div id="temperature">
      {% for day in thisWeek %}
        <li> On {{ day.date }}, the temperature will be {{ day.temperature }}. </li>
      {% endfor %}

    </div>
    <div id="ads">
      {% block ads %}
        Click on these ads!
      {% endblock %}
    </div>
  </body>
</html>
```

Context

```
city = 'Manila'  
description = 'sunny'  
thisWeek = [dict(date='Thursday', temperature=20),  
             dict(date='Friday', temperature=25),  
             dict(date='Saturday', temperature=22)]
```

Displayed by browser

Today's weather in Manila is sunny.

- On Thursday, the temperature will be 20.
- On Friday, the temperature will be 25.
- On Saturday, the temperature will be 22.

Click on these ads!

Syntax

template.render(context)

```
week = [dict(date='Thursday', temperature=20),  
        dict(date='Friday', temperature=25),  
        dict(date='Saturday', temperature=22)]
```

```
weather.render({city:'Manila', description:'sunny',  
               thisWeek=week})
```

Shortcut from Views

```
# views.py
```

```
from django.shortcuts import render_to_response
```

```
from mysite.models import MyModel
```

```
def list_view(request, template_name):
```

```
    m_list = MyModel.objects.filter(is_new=True)
```

```
    return render_to_response(template_name,  
                              {'m_list': m_list})
```

Templates

- A text-based template for HTML, CSS, XML, JavaScript, etc.
- Mixture between hard-coded text and abstractions
- Abstractions
 - Variables
 - Tags
- Re-useable and extensible

Hard-coded Text in weather.html

```
<html>
  <head>
    <title> Weather </title>
  </head>
  <body>
    <p>Today's weather in {{ city }} is {{ description }}.</p>
    <div id="temperature">
      {% for day in thisWeek %}
        <li> On {{ day.date }}, the temperature will be {{ day.temperature }}. </li>
      {% endfor %}

    </div>
    <div id="ads">
      {% block ads %}
        Click on these ads!
      {% endblock %}
    </div>
  </body>
</html>
```

Variables

- `{{ variable }}`
 - If variable doesn't exist, then output `TEMPLATE_STRING_IF_INVALID` (default: empty string `""`)
- `{{ variable.attribute }}`
 1. Dictionary Lookup. `variable["attribute"]`
 2. Attribute Lookup. `variable.attribute`
 3. Method Call. `variable.attribute()`
 4. List-index Call. `variable[attribute]`

Variables in weather.html

```
<html>
  <head>
    <title> Weather </title>
  </head>
  <body>
    <p>Today's weather in {{ city }} is {{ description }}.</p>
    <div id="temperature">
      {% for day in thisWeek %}
        <li> On {{ day.date }}, the temperature will be {{ day.temperature }}. </li>
      {% endfor %}

    </div>
    <div id="ads">
      {% block ads %}
        Click on these ads!
      {% endblock %}
    </div>
  </body>
</html>
```

Filters

- Modify the output of variables
- `{{ variable|filter }}`

```
foo := "Hello World"  
bar := ['a', 'b', 'c']
```

```
{{ foo|lower }} --> hello world  
{{ bar|length }} --> 3  
{{ bar|slice:":2" }} --> ['a', 'b']  
{{ some|default:"error!" }} --> error!
```

Tags

- for loops
- if clauses
- comments
- blocks
- and many more built-in tags (look them up!)
- `{% tag %} ... {% endtag %}`

Tags in weather.html

```
<html>
  <head>
    <title> Weather </title>
  </head>
  <body>
    <p>Today's weather in {{ city }} is {{ description }}.</p>
    <div id="temperature">
      {% for day in thisWeek %}
        <li> On {{ day.date }}, the temperature will be {{ day.temperature }}. </li>
      {% endfor %}
    </div>
    <div id="ads">
      {% block ads %}
        Click on these ads!
      {% endblock %}
    </div>
  </body>
</html>
```

For loops

```
{% for x in y %}  
    ... logic ...  
{% endfor %}
```

```
fruit_basket := {'apples', 'oranges', 'pineapples'}
```

```
{% for fruit in fruit_basket %}  
    <li>{{ fruit }}</li>  
{% endfor}
```

```
    <li>apples</li>  
--> <li>orange</li>  
    <li>pineapples</li>
```

If clauses

```
{% if <condition> %}
```

```
    ... logic ...
```

```
{% else %}
```

```
    ... logic ...
```

```
{% endif %}
```

```
{% if rain > 1 }
```

```
    Buy an umbrella for {{ price1 }}
```

```
{% else %}
```

```
    Buy sunglasses for {{ price2 }}
```

```
{% endif %}
```

Comments

```
{% comment %}
```

```
    This comment won't be displayed!
```

```
{% endcomment}
```

- Ignore everything inside tag
 - For inline comments, use `{# blah blah blah #}`

Template Inheritance

- Define extensible parts of a template with block tags

```
{% block name %}
```

```
...
```

```
{% endblock %}
```

- Create child templates that can extend blocks

- Load parent template with

```
{% extends "parent_template" %}
```

weather.html

```
<html>
  <head>
    <title> Weather </title>
  </head>
  <body>
    <p>Today's weather in {{ city }} is {{ description }}.</p>
    <div id="temperature">
      {% for day in thisWeek %}
        <li> On {{ day.date }}, the temperature will be {{ day.temperature }}. </li>
      {% endfor %}

    </div>
    <div id="ads">
      {% block ads %}
        Click on these ads!
      {% endblock %}
    </div>
  </body>
</html>
```

ads.html

```
{% extends "weather.html" %}
{% block ads %}
{% if rain > 1 }
    Buy an umbrella!
{% else %}
    Buy sunglasses!
{% endif %}
{% endblock %}
```

Context

```
city = 'Manila'  
description = 'sunny'  
thisWeek = [dict(date='Thursday', temperature=20),  
            dict(date='Friday', temperature=25),  
            dict(date='Saturday', temperature=22)]  
rain = 3
```

Displayed by browser

Today's weather in Manila is sunny.

- On Thursday, the temperature will be 20.
- On Friday, the temperature will be 25.
- On Saturday, the temperature will be 22.

Click on these ads!

Buy an umbrella!

Template Inheritance

- In child template, redefine contents of the parent's block tag
 - similar to overriding methods in class inheritance
- If a block tag is not redefined, then use contents of block tag in parent
- `{{ block.super }}` explicitly refers to contents of block tag in parent

ads.html

```
{% extends "weather.html" %}
```

Questions?

Lab 4

- Create the views and the template for the mini social networking website **FriendBook**